

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"10283180".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 11:30
S2	2	"10285180".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 11:33
S3	2	"11252110".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 11:34
S4	0	"2000-349729".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 11:34
S5	2	"2000349729".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:08
S6	827	tdma and (first adj6 (stor\$3 or table)) and (second adj6 (stor\$3 or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:11
S7	129052	(first adj6 (stor\$3 or table)) and (second adj6 (stor\$3 or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:21
S8	718	370/337.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:13
S9	1470	370/337,329.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:27

S10	73	((first adj6 (stor\$3 or table)) and (second adj6 (stor\$3 or table))) and 370/337,329.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:13
S11	119115	pointer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:13
S12	14	((first adj6 (stor\$3 or table)) and (second adj6 (stor\$3 or table))) and 370/337,329.ccls.) and pointer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:13
S13	334440	(first with (stor\$3 or table)) and (second with (stor\$3 or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:27
S14	2615	370/337,329,458,463.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 11:02
S15	448	((first with (stor\$3 or table)) and (second with (stor\$3 or table))) and 370/337,329,458,463.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 17:26
S16	119106	pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 12:28
S17	83	((first with (stor\$3 or table)) and (second with (stor\$3 or table))) and 370/337,329,458,463.ccls.) and pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 17:22
S18	1	tdma adj "control protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 17:24
S19	1871	tdma and (control adj (data or fields))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 10:36

S20	2615	370/337,329,458,463.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 17:26
S21	180	(tdma and (control adj (data or fields))) and 370/337,329,458,463.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 17:26
S22	334440	((first with (stor\$3 or table)) and (second with (stor\$3 or table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 17:26
S23	28	((tdma and (control adj (data or fields))) and 370/337,329,458,463.ccls.) and (((first with (stor\$3 or table)) and (second with (stor\$3 or table))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/23 17:26
S24	2	"6545993".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 10:40
S25	2	"5790535".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 11:01
S26	2626	370/337,329,458,463.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:59
S27	3	(tdma and framing adj (unit or section)) and 370/337,329,458,463.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 11:02
S28	31	tdma and framing adj (unit or section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:00
S29	5950	"address pointer"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 11:15

S30	8	(tdma and framing adj (unit or section)) and "address pointer"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 11:15
S31	210	(tdma or tdm) adj transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:05
S32	12	370/337,329,458,463.ccls. and ((tdma or tdm) adj transmitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:01
S33	56	"slot assignment" adj (section or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:28
S34	37060	sequencer or "sequence controller"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:16
S35	0	("slot assignment" adj (section or unit)) and (sequencer or "sequence controller")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:16
S36	220	"control data generation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:40
S37	0	((tdma or tdm) adj transmitter) and "control data generation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:28
S38	7	"5822313".URPN.	USPAT	OR	OFF	2004/02/24 13:29
S39	8	("5323446" "5416778" "5483668" "5530693" "5533027" "5548808" "5577047" "5613203").PN.	USPAT	OR	OFF	2004/02/24 13:31
S40	0	("slot assignment" adj (section or unit)) and "control data generation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:40

S41	0	370/337,329,458,463.ccls. and "13"control data generation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:40
S42	0	370/337,329,458,463.ccls. and "control data generation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 13:40
S43	20415	tdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:00
S44	56877	(first adj (table or storage or register or memory)) and (second adj ((table or storage or register or memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:01
S45	6147	control\$3 and (address adj pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:02
S46	22	tdma and ((first adj (table or storage or register or memory)) and (second adj ((table or storage or register or memory)))) and (control\$3 and (address adj pointer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:36
S47	2	"5659698".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/24 14:36
S48	32	"assignment terms"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/25 12:22
S49	32	assignment adj terms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/25 12:22
S50	0	slot adj assignment adj terms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/25 12:22

S51	0	"09721959".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:15
S52	2	"5822313".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:25
S53	185	(assign\$4 or allocat\$3) adj "control data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 13:26
S54	2	analyz\$3 near6 ((assign\$4 or allocat\$3) adj "control data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 15:04
S55	11	"assignment control data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:52
S56	15	address adj pointer\$1 and "assignment control"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 14:53
S57	185	((assign\$4 or allocat\$3) adj "control data")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 15:23
S58	22626	tdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 15:05
S59	15	((((assign\$4 or allocat\$3) adj "control data"))) and tdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 15:05
S60	1110	(slot adj (assign\$4 or allocat\$3)) and "control data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:48

S61	7272	address adj pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 15:26
S62	57	((slot adj (assign\$4 or allocat\$3)) and "control data") and (address adj pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:39
S63	2293	("time slots" near5 (assign\$4 or allocat\$3)) same control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:48
S64	59122	(first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:42
S65	38335	tdm or tdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:42
S66	89	((("time slots" near5 (assign\$4 or allocat\$3)) same control) and ((first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:42
S67	35	(tdm or tdma) and (((("time slots" near5 (assign\$4 or allocat\$3)) same control) and ((first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:44
S68	12	sequential and ((tdm or tdma) and (((("time slots" near5 (assign\$4 or allocat\$3)) same control) and ((first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:43
S69	7272	address adj pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:45

S70	0	(address adj pointer\$1) and ((tdm or tdma) and (((("time slots" near5 (assign\$4 or allocat\$3)) same control) and ((first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:45
S71	647	("time slots" near5 control) near8 (assign\$4 or allocat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:47
S72	2115	(slot\$1 near5 control) near8 (assign\$4 or allocat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:47
S73	78	((first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))) and ((slot\$1 near5 control) near8 (assign\$4 or allocat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:47
S74	22	(tdm or tdma) and (((first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))) and ((slot\$1 near5 control) near8 (assign\$4 or allocat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:47
S75	0	((tdm or tdma) and (((first adj (table or memory or buffer or storage)) and (second adj (table or memory or buffer or storage))) and ((slot\$1 near5 control) near8 (assign\$4 or allocat\$3)))) and (address adj pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:47
S76	5068	(slot adj (assign\$4 or allocat\$3)) and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:48
S77	107	(address adj pointer\$1) and ((slot adj (assign\$4 or allocat\$3)) and control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:48
S78	41	(tdm or tdma) and ((address adj pointer\$1) and ((slot adj (assign\$4 or allocat\$3)) and control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:49

S79	31	((tdm or tdma) and ((address adj pointer\$1) and ((slot adj (assign\$4 or allocat\$3)) and control))) and sequential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/19 16:49
S80	0	"09721959".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 11:27
S81	2	"5303234".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 13:51
S82	2	"5347513".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:26
S84	36	tdma and "space switch"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:26

Km		Km		Km		
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	"tdma transmitter" and "first table" and "second table" and "assignment terms" and "time slots" and "slot data" and "assignment control data" and "address pointers" and (sequen\$6 near read) and (address near3 "terminal") and "starting address" and (slot\$1 near count\$3)	US-PGPUB	OR	OFF	2005/10/12 14:38